

## Worksite stretches



nealthy (dianges

- Stretch to a point where you feel a mild tension and relax as you hold the stretch.
- \* Do not bourse.
- If you are stretching correctly, the feeling of stretch should slightly subside as you hold the stretch
- •Any stretch feeling that grows in intensity or becomes painful as you hold the stretch is an overstretch.
- The long-sustained, mild stretch reduces unwanted muscle tension and lightness.
- Stretches should be held generally for 10-30 seconds, depending on which stretch you are doing.
- Breathe slowly, rhythmically and under control while stretching.
- Relax your mind and body as much as possible.
- Always stretch within your comfortable limits, never to the point of pain
- Do not compare yourself to others. We are all different. Comparisons only lead to overstretching.
- •The feeling of stretch tells you whether you are stretching correctly or not.






- Stand up and then slowly bend forward
- stressed. Let neck, arms and hands relax.
   Hold a slight stretch in the back of legs for Stretch by how you feel and not by how far you can go. Do not stretch with knees yourself relax physically by mentally con-centrating on the area being stretched. Always keep knees slightly bent during this stretch (1 inch) so lower back is not 0-20 seconds until you are relaxed. Do not bounce when you do this

ways bend your knees when returning to




- lean on it with forearms, head resting on Stand a little ways from a solid support and
- in front of you leaving the other leg straight, Bend one leg and place foot on the ground
- Slowly move hips forward until you feel a stretch in the calf of your straight leg. Be sure to keep the heet of the foot of the straight leg on the ground and your loes

 pointed straight ahead.
 Hold an easy stretch for 20 seconds. Do. not bounce. Stretch both legs.




- Place left hand on a support for balance.
   Gently pull left foot (from inside of foot) feel a mild stretch. Hold unto the back of toward buttocks with right hand until you
- Hold for 15 seconds. Stretch other leg. # your pant leg if you cannot grab onto the oreterred, this stretch can also be done sing same hand to same toot with hand

holding on top of foot



 a little more than shoulder width apart.
 Bend right knee slightly and move left hip Start with feet pointed straight ahead and right grown. you a stretch in left inner thigh (left grain). downward toward right knee. Hold for 10-15 seconds and repeat for This gives



- The leg on the ground should be slightly bent (1 inch) with your foot pointed forward. A table works good for this stretch.
- height and straight, with foot relaxed and upright,

  \*Slowly bend forward at the waist, with eyes looking torward, until you feel a stretch in the back of the raised The leg resting on the table should be at a comfortable
- leg.
   Hold and relax. Find an easy stretch, relax, and then the stretch. Do not overstretch stratch turther when it becomes comfortable to increase

other leg. If necessary for balance and con-trol, use your hands to hold onto something.

This stretch will relieve tension in your lower

back and hamstrings.

Hold for 15 seconds. Repeat stretch for


ternstrings and front of hip.

Bend the knee of the up leg as you move your hips torward. This should stretch groin

support of some kind. Keep foot of the down Place the ball of your foot up on a secure &

leg pointed straight ahead.

Hold stretch for 10 seconds for each leg.





- about a 15° angle, beets on the ground.
   Bend knees and squat down. If you have trouble staying in this position hold onto something for sup-<u>port.</u> It is a great stretch for your arkles, Achilles rendon area, groin, lower back and hips.
- Hold stretch for 10-20 seconds.
   Be careful if you have had any I ain is present ascontinue mis stretch had any knee problems.

## do one healthy thing.

